

**APPLICATION FOR
UNITED STATES PATENT
IN THE NAME OF**

**SCOTT D. LEAPMAN
PAIGE L. GRAY
AND
MELISSA HESS**

ASSIGNED TO

GATEWAY, INC.

FOR

SYSTEM AND METHOD FOR TARGETED ADVERTISING

006247 037560

SYSTEM AND METHOD FOR TARGETED ADVERTISING

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to broadcast advertising, and more particularly, to broadcast advertisements transmitted to a communication device and selected based on acceptance data stored on the communication device.

2. Related Art

Increasingly, advertising has been used to reach users of computer devices. For example, users of mobile communication devices have been targeted for receiving ads. As a result, these devices may be bombarded with blanket advertising. Mobile communication devices generally have limited data storage capacity that may be burdened by large numbers of ads. Further, mobile communication devices typically have limited output capability, making it difficult for a user to view and select ads of interest from a large number of received ads.

Advertising is more effective when targeted to certain individuals, *e.g.*, those known to have an interest in the advertised goods or services. Advertisers prefer to tailor advertising to a particular individual or group, such as direct mailings to people in a certain demographic or geographic area, or wireless transmissions to individuals fitting certain profiles known to the advertiser. The demographic or other data used for such advertising may be costly if purchased from an outside supplier. This approach also raises privacy issues with individuals who may wish to remain anonymous or to limit distribution of their identity.

A need therefore exists for a method of receiving advertisements in a less intrusive and more convenient way, while retaining the privacy of the individuals most likely to find the advertisements useful.

SUMMARY OF THE INVENTION

The present invention solves the above problems by providing an improved system and method for broadcast advertising to a mobile communication device.

5 In one aspect of the present invention, a mobile communication device receives a broadcast advertisement and selects that advertisement based on stored user profile or acceptance data, thereby providing broadcast advertising that is filtered by the communication device. If the communication device selects the advertisement, the advertisement may be displayed or stored.

10 In another aspect of the present invention, a system for broadcast advertising includes a mobile communication device, which is capable of storing acceptance data, and an advertisement broadcasting system or source, which is capable of transmitting broadcast advertisements to the mobile communication device. The mobile communication device is further capable of receiving the broadcast advertisements from the advertisement
15 broadcasting source and selecting at least one of the advertisements based on the stored acceptance data.

Further features and advantages of the invention as well as the structure and operation of various embodiments of the invention are described in detail below with reference to the accompanying drawings.

20

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic diagram showing a system including a mobile communication device and advertisement broadcasting sources in accordance with a preferred embodiment of the present invention.

FIG. 2 is a schematic diagram showing one embodiment of a mobile communication device.

FIG. 3 is a schematic diagram illustrating one embodiment wherein a mobile communication device is used in a tradeshow hall.

5 FIG. 4 is a flowchart showing a method for broadcast advertising to a mobile communication device in accordance with a preferred embodiment of the present invention.

FIG. 5 is a flowchart illustrating one embodiment of a method for generating acceptance data to be stored on a mobile communication device and used in selecting broadcast advertisements.

10

DETAILED DESCRIPTION OF THE INVENTION

Generally, advertisements are available in a number of convenient formats, *e.g.*, full-screen, banner, or screen-saver. A broadcast advertisement is a particular form of advertisement which is sent over a communication medium and is accessible to two or more communications devices simultaneously. Embodiments of the present invention are directed to a method and a system for broadcast advertising to a mobile communication device in which the communication device selects certain advertisements from a variety of broadcast advertisements in accordance with user profile or acceptance data stored on the communication device.

20 FIG. 1 illustrates a system for broadcast advertising in accordance with a preferred embodiment of the present invention. The system includes a mobile communication device 100 and advertisement broadcasting systems or sources ("ad sources") 102 and 104. Each ad source 102 or 104 is a source or transmitter of broadcast advertisements. The ad source 102

or 104 may be a billboard, a storefront (*e.g.*, a store having frontage on a street, mall, or thoroughfare), or any other wireless transmitter.

The mobile communication device 100 is any computing device that is mobile and capable of receiving broadcast advertisements. The mobile device 100 may be a handheld
5 computer (*e.g.*, PalmPilot), a personal digital assistant (“PDA”), a cellular telephone, a 2-way pager, an in-car computer, or the like. Such a mobile device 100 is generally accessible anywhere, *e.g.*, in a pocket, bag, or vehicle.

FIG. 2 shows one embodiment of a mobile communication device 200. The communication device 200 includes a CPU 240, memory 250, an input signal 220, an output
10 signal 225, and a display 260. The output signal 255 may be any audio, vibration, digital, or other signal that is detectable by a user or any other suitable signal target. The communication device 200 also includes any suitable operating system and user interface installed thereon (not shown), including but not limited to, Windows (*e.g.*, 95/98, NT, CE), Linux, and/or Palm OS.

15 The communication device 200 is able to communicate with an advertisement broadcasting system or source 202 through a communication channel 212. The communication device 200 may or may not be within a broadcast range of the communication channel 212, depending on the position of the communication device 200. The communication device 200 is also able to communicate with GPS 230 via a
20 communication channel 242. Further, the communication device 200 is able to communicate with other wireless servers 206 via a communication channel 208. The wireless servers 206 may be Web servers, mobile phone service servers, or other broadcast advertisement sources.

Referring back to FIG. 1, the mobile device 100 has a wireless transmission module 150, which is capable of wirelessly sending and receiving data. The ad sources 102 and 104

also have wireless transmission modules 152 and 154, respectively, which are capable of wirelessly sending and receiving data. The ad source 102 transmits broadcast advertisements to the mobile device 100 via a wireless channel 120, and the ad sources 104 transmits broadcast advertisements to the mobile device 100 via a wireless channel 125. Once the mobile device 100 is within a broadcast range of the ad source 102 or 104, the mobile device 100 is able to receive broadcast advertisements from the ad source 102 or 104. For example, the mobile device 100 may be configured to receive broadcast advertisements that are transmitted from a limited distance or that are above a threshold signal strength.

In the illustrated embodiment, the system for broadcast advertising further includes a Global Positioning System ("GPS") 130. The GPS includes a wireless transmission module 156, which is capable of emitting signals via a wireless channel 142. In one embodiment, the mobile device 100 is configured to obtain its position from the GPS 130 via the wireless channel 142. The mobile device 100 is then able to obtain driving directions for reaching the ad sources 102 and 104, if desired. In alternative embodiments, the mobile device 100 may send an indicator signal to the ad source 102 or 104. Such an indicator signal may send information about the position of the mobile device 100 directly to the ad source 102 or 104 via the wireless channel 120 or 125. The ad source 102 or 104 may then use the information received about the position of the mobile device 100 to toggle on and off transmission of broadcast advertisements to the mobile device 100. When the ad source 102 or 104 detects that the mobile device 100 is within its broadcast range, the ad source 102 or 104 proceeds to transmit broadcast advertisements to the mobile device 100. In further alternative embodiments, wireless positioning systems other than GPS, which are able to identify the location of the mobile device 100 relative to the ad source 102 or 104, may be utilized.

In preferred embodiments, the ad source 102 or 104 transmits, and the mobile device 100 receives, broadcast advertisements through a wireless communication channel. The advertisements may be broadcast through embedded signals in radio or television transmissions, Bluetooth or infrared signals, other radio frequency ("RF") signals, or any other wireless means. The advertisements may also be broadcast via any appropriate protocol, including but not limited to, infrared protocols (such as the Infrared Data Association ("IrDA") specification and the Advanced Infrared ("Air") specification), the IEEE standard 802.11, the European Telecommunications Standards Institute ("ET-SI") standard HIPERLAN, and the HomeRF Shared Wireless Access Protocol ("SWAP").

Further, the advertisements may be transmitted via distributed systems, including but not limited to, local area networks ("LANs"), wide area networks ("WANs"), the World Wide Web ("Web"), and personal LANs (such as MIT's personal area network ("PAN") and GTE Corporation's Body LAN based on short-range RF signals).

FIG. 4 is a flowchart showing a method for broadcast advertising to a mobile communication device in accordance with a preferred embodiment of the present invention. In preferred embodiments, the mobile device 100 receives broadcast advertisements from the ad source 102 or 104 and selects certain advertisements in accordance with user profile or acceptance data stored on the mobile device 100.

Upon receiving a broadcast advertisement in step 401, the mobile device 100 proceeds to compare advertisement data with stored acceptance data in step 410. The advertisement data is data contained in and extractable from the broadcast advertisements. The advertisement data is derived from the ad source 102 or 104, and may include but is not limited to, the name of a company or brand, information about products and/or services, price

information, deadlines for special offers, or any other information that may be useful for filtering through or selecting certain broadcast advertisements.

The user profile or acceptance data is stored on the mobile device 100 and is derived from a user of the mobile device 100. The acceptance data serves as criteria for accepting or selecting broadcast advertisements received from the ad source 102 or 104. The acceptance data may include, but is not limited to, company and/or brand names, information about products and/or services, price information and/or price thresholds, or any other information that may be useful for filtering through or selecting certain broadcast advertisements. To filter through or select particular broadcast advertisements, the user configures the mobile device 100 with acceptance data to accept specified types of broadcast advertisements, for example, from specific companies or with specific attributes such as a minimum percentage off or a specific brand of item, and/or to reject other types of broadcast advertisements.

Once the communication device 100 compares the advertisement data with the acceptance data to obtain a comparison result in step 410, the comparison result is checked at step 415. The comparison result is determined to be satisfactory only if there is an exact match between the advertisement data and the acceptance data, or alternatively, may be based on a less strict standard. Any known methods used by search engines for matching search criteria with comparison data in search targets may be readily utilized to determine whether the comparison result is satisfactory.

If the comparison result is not satisfactory, the mobile device 100 rejects the broadcast advertisement in step 417. However, if the comparison result is satisfactory, then the mobile device 100 stores the broadcast advertisement on the mobile device 100 in step 420. In alternative embodiments, the mobile device 100 may simply display the broadcast advertisement to the user of the mobile device 100 without storing the advertisement. At step

425, a notification signal is then sent to the user of the mobile device 100. With respect to rejected broadcast advertisements, the mobile device 100 may immediately delete them, mark them for future deletion, or store them being marked as rejected.

In one embodiment, after storing the accepted broadcast advertisements, the user may subsequently browse through the stored advertisements in the mobile device 100 as desired, *e.g.*, when the user is ready to go shopping. The stored advertisements may be viewed by any method available within the operating system of the mobile device 100. Further, the mobile device 100 may subsequently purge the stored advertisements, for example, on a weekly basis or based on an expiration date embedded in the advertisement.

In preferred embodiments, the communication device may be set up and modified in any convenient way to store suitable acceptance data. FIG. 5 is a flowchart illustrating one embodiment of a method for generating acceptance data used in filtering through or selecting broadcast advertisements. The user is prompted in step 510 to directly enter data to be used for constructing acceptance data. The user may manually enter the data, select the data from a predetermined list, select the data from templates, or the like. The data may be keywords or natural language text. The entered data is parsed in step 515, and the acceptance data is created in step 535.

Alternatively, the acceptance data in the mobile device 100 may be modified based on entries in the user's personal information manager ("PIM"). Examples of PIMs include any software capable of organizing personal information, including but not limited to, Microsoft Outlook, Lotus Organizer, Starfish Sidekick, or Franklin Planner. The acceptance data in the mobile device 100 may be modified based on entries in the user's PIM, such as calendar entries, task or to-do lists, reminders, and notes. For example, the text from a PIM entry may be extracted and used to create acceptance data.

In step 520, new data is entered in the PIM. Next, the new PIM data is parsed in step 525. Finally, the parsed PIM data is used to create acceptance data in step 535. For example, a user's PIM may have an upcoming entry for "Dad's Birthday" in the calendar. This entry creates acceptance data in the mobile device 100, and then the mobile device 100 accepts broadcast advertisements for items that would be appropriate for such an event. Or, the user's PIM may have an item "buy skim milk" in the task or to-do list. A grocery store may be broadcasting a list of items on sale, one of which is skim milk. As the user drives past this store, the mobile device 100 accepts the broadcast advertisement and notifies the user that the particular store has skim milk on sale. A person of skill in the art could readily develop the software needed to create and modify such functionality.

The parsing steps 515 and 525 may be fixed or customizable by the user. Any appropriate process may be used to create acceptance data from manually entered text or PIM entries, such as processes used by search engines to parse text entered as a query by a user. Additionally, the acceptance data obtained in step 535 may be modified by the user, *e.g.*, using a suitable editor.

FIG. 3 shows one embodiment of the invention in which a mobile device 300 is used in a tradeshow hall 310. The tradeshow hall 310 includes a plurality of booths 320 at different locations. Each booth 320 is equipped with a wireless transmitter 330 that emits broadcast advertisements describing products or services (or any other desired information) and the location of the booth 320. A user carrying the mobile device 300 walks through the tradeshow hall 310 among the booths 320. The mobile device 300 may be configured to contain acceptance data for filtering broadcast advertisements transmitted from the various booths 320. The mobile device 300 may also be configured to only receive broadcast advertisements from booths 320 in the immediate vicinity of the mobile device 300 and/or

1972 1971 1970 1969 1968 1967 1966 1965 1964 1963 1962 1961 1960 1959 1958 1957 1956 1955 1954 1953 1952 1951 1950 1949 1948 1947 1946 1945 1944 1943 1942 1941 1940 1939 1938 1937 1936 1935 1934 1933 1932 1931 1930 1929 1928 1927 1926 1925 1924 1923 1922 1921 1920 1919 1918 1917 1916 1915 1914 1913 1912 1911 1910 1909 1908 1907 1906 1905 1904 1903 1902 1901 1900 1899 1898 1897 1896 1895 1894 1893 1892 1891 1890 1889 1888 1887 1886 1885 1884 1883 1882 1881 1880 1879 1878 1877 1876 1875 1874 1873 1872 1871 1870 1869 1868 1867 1866 1865 1864 1863 1862 1861 1860 1859 1858 1857 1856 1855 1854 1853 1852 1851 1850 1849 1848 1847 1846 1845 1844 1843 1842 1841 1840 1839 1838 1837 1836 1835 1834 1833 1832 1831 1830 1829 1828 1827 1826 1825 1824 1823 1822 1821 1820 1819 1818 1817 1816 1815 1814 1813 1812 1811 1810 1809 1808 1807 1806 1805 1804 1803 1802 1801 1800 1799 1798 1797 1796 1795 1794 1793 1792 1791 1790 1789 1788 1787 1786 1785 1784 1783 1782 1781 1780 1779 1778 1777 1776 1775 1774 1773 1772 1771 1770 1769 1768 1767 1766 1765 1764 1763 1762 1761 1760 1759 1758 1757 1756 1755 1754 1753 1752 1751 1750 1749 1748 1747 1746 1745 1744 1743 1742 1741 1740 1739 1738 1737 1736 1735 1734 1733 1732 1731 1730 1729 1728 1727 1726 1725 1724 1723 1722 1721 1720 1719 1718 1717 1716 1715 1714 1713 1712 1711 1710 1709 1708 1707 1706 1705 1704 1703 1702 1701 1700 1699 1698 1697 1696 1695 1694 1693 1692 1691 1690 1689 1688 1687 1686 1685 1684 1683 1682 1681 1680 1679 1678 1677 1676 1675 1674 1673 1672 1671 1670 1669 1668 1667 1666 1665 1664 1663 1662 1661 1660 1659 1658 1657 1656 1655 1654 1653 1652 1651 1650 1649 1648 1647 1646 1645 1644 1643 1642 1641 1640 1639 1638 1637 1636 1635 1634 1633 1632 1631 1630 1629 1628 1627 1626 1625 1624 1623 1622 1621 1620 1619 1618 1617 1616 1615 1614 1613 1612 1611 1610 1609 1608 1607 1606 1605 1604 1603 1602 1601 1600 1599 1598 1597 1596 1595 1594 1593 1592 1591 1590 1589 1588 1587 1586 1585 1584 1583 1582 1581 1580 1579 1578 1577 1576 1575 1574 1573 1572 1571 1570 1569 1568 1567 1566 1565 1564 1563 1562 1561 1560 1559 1558 1557 1556 1555 1554 1553 1552 1551 1550 1549 1548 1547 1546 1545 1544 1543 1542 1541 1540 1539 1538 1537 1536 1535 1534 1533 1532 1531 1530 1529 1528 1527 1526 1525 1524 1523 1522 1521 1520 1519 1518 1517 1516 1515 1514 1513 1512 1511 1510 1509 1508 1507 1506 1505 1504 1503 1502 1501 1500 1499 1498 1497 1496 1495 1494 1493 1492 1491 1490 1489 1488 1487 1486 1485 1484 1483 1482 1481 1480 1479 1478 1477 1476 1475 1474 1473 1472 1471 1470 1469 1468 1467 1466 1465 1464 1463 1462 1461 1460 1459 1458 1457 1456 1455 1454 1453 1452 1451 1450 1449 1448 1447 1446 1445 1444 1443 1442 1441 1440 1439 1438 1437 1436 1435 1434 1433 1432 1431 1430 1429 1428 1427 1426 1425 1424 1423 1422 1421 1420 1419 1418 1417 1416 1415 1414 1413 1412 1411 1410 1409 1408 1407 1406 1405 1404 1403 1402 1401 1400 1399 1398 1397 1396 1395 1394 1393 1392 1391 1390 1389 1388 1387 1386 1385 1384 1383 1382 1381 1380 1379 1378 1377 1376 1375 1374 1373 1372 1371 1370 1369 1368 1367 1366 1365 1364 1363 1362 1361 1360 1359 1358 1357 1356 1355 1354 1353 1352 1351 1350 1349 1348 1347 1346 1345 1344 1343 1342 1341 1340 1339 1338 1337 1336 1335 1334 1333 1332 1331 1330 1329 1328 1327 1326 1325 1324 1323 1322 1321 1320 1319 1318 1317 1316 1315 1314 1313 1312 1311 1310 1309 1308 1307 1306 1305 1304 1303 1302 1301 1300 1299 1298 1297 1296 1295 1294 1293 1292 1291 1290 1289 1288 1287 1286 1285 1284 1283 1282 1281 1280 1279 1278 1277 1276 1275 1274 1273 1272 1271 1270 1269 1268 1267 1266 1265 1264 1263 1262 1261 1260 1259 1258 1257 1256 1255 1254 1253 1252 1251 1250 1249 1248 1247 1246 1245 1244 1243 1242 1241 1240 1239 1238 1237 1236 1235 1234 1233 1232 1231 1230 1229 1228 1227 1226 1225 1224 1223 1222 1221 1220 1219 1218 1217 1216 1215 1214 1213 1212 1211 1210 1209 1208 1207 1206 1205 1204 1203 1202 1201 1200 1199 1198 1197 1196 1195 1194 1193 1192 1191 1190 1189 1188 1187 1186 1185 1184 1183 1182 1181 1180 1179 1178 1177 1176 1175 1174 1173 1172 1171 1170 1169 1168 1167 1166 1165 1164 1163 1162 1161 1160 1159 1158 1157 1156 1155 1

10